Author Index of Volume 466

About-Jaudet, E., 89
Ap Kendrick, D., 139
Auner, N., 55

Baker, P.K., 139
Barrado, G., 147
Baudry, D., 107
Beck, W., 167
Beer, P.D., 241
Bennett, M.A., 221
Bertani, R., 273
Boumekouez, A., 89
Broussier, R., 133
Bruce, P.G., 51
Butcher, R.J., 283

Callan, B., 185
Caruso, F., 69
Cavinato, G., 273, 277
Christophe, J., 15
Cifuentes, M.P., 211
Collignon, N., 89
Conlin, R., 55
Corriu, R., 55
Corriu, R.J.P., 43
Cox, M.G., 185
Crispini, A., 259
Cunningham, D., 185

De C.T. Carrondo, M.A.A.F., 159
Delgado, E., 119
De Munno, G., 277
Deng, D., 95, 101
Des Abbayes, H., 175
Dias, A.R., 159
Dzhemilev, U.M., 1

Eaborn, C., 35
Ephritikhine, M., 107
Ernst, L., 15
Ertl, P., 133
Esteruelas, M.A., 249

Facchin, G., 273
Fajgar, R., 29
Fátima M. Piedade, M., 159

Gable, K.P., C5
Gabor, B., 201
García, M.P., 249
García-Granda, S., 147
Gautheron, B., 133
Ghedini, M., 259
Giomini, M., 69
Giuliani, A.M., 69
Glidewell, C., 51
Görlitz, F.H., 5
Gradoz, P., 107
Graydon, A.R., 241
Green, M., 153
Gross, J., 15

Hahn, J., 237
Hanuš, V., 125
Hausen, H.-D., C1
Hedayat, A., 119
Helena Garcia, M., 159
Hernández, E., 119
Herres, M., 237
Hitchcock, P.B., 153
Holle, S., 201
Hosch, R., 237
Humphrey, M.G., 211

Ibragimov, A.G., 1

Jakoubková, M., 29
Jasinski, J.P., 283
Jolly, P.W., 201
Jones, K.L., 35
Just, O., 5

Klein, R., 125
Krämer, R., 167
Kruger, G.J., 291

Lambrecht, G., 15
Lami, M., 277
Lance, M., 107
Lang, H., 237
Lanneau, G., 55
Laurent, P., 175
Leclercq, D., 43
Le Gall, G., 175
Lickiss, P.D., 35
Lightfoot, P., 51
Lippmann, E., 167

Maah, M.J., 153
Maassarani, F., 265
Mach, K., 125
Manning, A.R., 185
Marchetti, F., 221
Marchionna, M., 277
Martín, M., 249
Matias, P., 159
McArdle, P., 185
McCabe, A., 185
Miguel, D., 147
Mochizuki, H., 233
Mutin, P.H., 43
Mutschler, E., 15
Mynott, R., 201

Neve, F., 259
Nierlich, M., 107
Nixon, J.F., 153
Nürnberg, O., 249

Olivier, P., 291
Oro, L.A., 249
Otte, R., 291

Paight, E.S., 283
Pérez-Martínez, J.A., 147
Perjéssy, A., 133
Pertici, P., 221
Pfeffer, M., 265
Phan, T.N., C5
Pikies, J., 15
Pitzalis, E., 221
Pola, J., 29
Priou, C., 55
Probst, R., 55
Prónayová, N., 133

Qian, C., 95, 101

Raubenheimer, H.G., 291
Regini V, A., 283
Richter, F., 77
Riera, V., 147
Rivarola, E., 69
Rosini, C., 221

Salaün, J.-Y., 175
Salvadori, P., 221
Samson, H., 43
Sato, R., 233
Sayal, P., 185
Schmid, G., 125
Schomburg, D., 15
Schumann, H., 5
Sedmera, P., 125
Sellin, M., 175
Seuß, T.D., 5
Singh, H.B., 283
Skelton, B.W., 211
Soulairol, F., 55
Soye, P., 185
Spencer, J., 265
Stephens, F.S., 185
Sun, J., 95, 101

Tacke, R., 15
Tan, C., 55

Tanase, T., 233
Thewalt, U., 125
Tláskal, J., 29
Tödtmann, J., C1
Toerien, J.G., 291
Toniolo, L., 273, 277
Tornero, J., 119
Torres, R., 119

Van Zyl, W., 291
Vavasori, A., 273
Vigner, J., 107
Villa de Brito, M.J., 159
Vioux, A., 43
Viterbo, D., 277

Wade, S.C., 185
Waelbroeck, M., 15
Walter, O., 237
Wang, B., 101
Wehman, E., 265
Weichmann, H., 77
Weidlein, J., C1
Weimann, R., 5
Werner, H., 249
White, A.H., 211
Wiesenberger, F., 15

Yamamoto, Y., 233

Zhang, L., 95
Zheng, X., 95, 101

Subject Index of Volume 466

Acetonitrile
The synthesis and reactions with neutral monodentate ligands of the seven-coordinate complex $[MoCl(GeCl_3)(CO)_3(NCMe)_2]$ (P.K. Baker and D. Ap Kendrick), 139

Acyl
Isolation and characterization of the acyl complexes *trans*-$[Pt(PPh_3)_2(COR)Cl]$ (R = ^{n}Bu or ^{s}Bu) and their relevance to the hydroformylation of linear butenes catalyzed by platinum/tin/triphenylphosphine catalytic systems. Molecular structure of *cis*-$[Pt(PPh_3)_2Cl(SnCl_3)]$ (G. Cavinato, G. De Munno, M. Lami, M. Marchionna, L. Toniolo and D. Viterbo), 277

Alkali metals
Chemical and photochemical approaches to amino(aryl)silylenes (R. Corriu, G. Lanneau, C. Priou, F. Soulairol, N. Auner, R. Probst, R. Conlin and C. Tan), 55

Alkoxycarbonyl
Synthesis and reactivity of bis(alkyloxalyl) and alkoxycarbonyl alkyloxalyl iron complexes $[Fe(COCO_2R)_2(CO)_4]$ and $[Fe(CO_2R)(COCO_2R')(CO)_4]$ (R, R' = Me or Et): evidence for reductive elimination of oxalate (P. Laurent, J.-Y. Salaün, G. Le Gall, M. Sellin and H. Des Abbayes), 175

Alkyloxalyl
Synthesis and reactivity of bis(alkyloxalyl) and alkoxycarbonyl alkyloxalyl iron complexes $[Fe(COCO_2R)_2(CO)_4]$ and $[Fe(CO_2R)(COCO_2R')(CO)_4]$ (R, R' = Me or Et): evidence for reductive elimination of oxalate (P. Laurent, J.-Y. Salaün, G. Le Gall, M. Sellin and H. Des Abbayes), 175

Alkyne
Reactions of $[IrH_2(Me_2CO)(Hpz)(PPh_3)_2]BF_4$ with alkynes: synthesis of new hydride–vinyl iridium(III) complexes (M.A. Esteruelas, M.P. García, M. Martín, O. Nürnberg, L.A. Oro and H. Werner), 249
Selective hetero- and carbo-cycle syntheses via masked cyclopalladated secondary amine and ketone functions (F. Maassarani, M. Pfeffer, J. Spencer and E. Wehman), 265

Allyl
New aspects of the carbonylation of allylpalladium complexes (R. Bertani, G. Cavinato, G. Facchin, L. Toniolo and A. Vavasori), 273
The preparation of bis(η^3-allyl)iron(II) complexes and their reactions with 1,3-dienes (B. Gabor, S. Holle, P.W. Jolly and R. Mynott), 201

Alumina
Regio- and stereoselective synthesis for a novel class of organoaluminium compounds — substituted aluminacyclopentanes and aluminacyclopentenes assisted by zirconium catalysts (U.M. Dzhemilev and A.G. Ibragimov), 1

Aluminium
$[(CH_3C)_4N–(CH_3)_2Al\cdots Cl\cdots Al(CH_3)_2–N(CCH_3)_4]Li$ – ein ungewöhnlicher Sandwich-Komplex des Lithiums (H.-D. Hausen, J. Tödtmann and J. Weidlein), C1

Amine
Selective hetero- and carbo-cycle syntheses via masked cyclopalladated secondary amine and ketone functions (F. Maassarani, M. Pfeffer, J. Spencer and E. Wehman), 265

Amino-aryl
Chemical and photochemical approaches .to amino(aryl)silylenes (R. Corriu, G. Lanneau, C. Priou, F. Soulairol, N. Auner, R. Probst, R. Conlin and C. Tan), 55

Anion receptors
New anion receptors based on cobalticinium–aza crown ether derivatives (P.D. Beer and A.R. Graydon), 241

Arene
Preparation and resolution of chiral areneruthenium(II) complexes (P. Pertici, E. Pitzalis, F. Marchetti, C. Rosini, P. Salvadori and M.A. Bennett), 221

Aza crown ether
New anion receptors based on cobalticinium–aza crown ether derivatives (P.D. Beer and A.R. Graydon), 241

Benzene
The reluctant titanium-catalyzed cyclotrimerization of 1-phenyl-2-(trimethylsilyl)acetylene. Crystal structure of 1,3,5-triphenyl-2,4,6-tris(trimethylsilyl)benzene (R. Klein, G. Schmid, U. Thewalt, P. Sedmera, V. Hanuš and K. Mach), 125

Bioorganosilicon chemistry
Sila-biperiden und *endo*-Sila-biperiden: Synthesen, Kristallstrukturen und antimuscarinische Eigenschaften (R. Tacke, J. Pikies, F. Wiesenberger, L. Ernst, D. Schomburg, M. Waelbroeck, J. Christophe, G. Lambrecht, J. Gross and E. Mutschler), 15

Boron
Synthesis and structural characterization of an unusual η^3-ligated 1,3-diphosphacyclobutadiene molybdenum complex via cyclodimerization of a phosphaalkyne. Crystal structure of $[Mo(\eta^5\text{-}C_9H_7)(CO)_2\{P\text{-}\eta^3\text{-}(^tBu)CPC(^tBu)PFBF_3\}]$ (P.B. Hitchcock, M.J. Maah, J.F. Nixon and M. Green), 153

Bridging ligand
Synthesis and structural characterization of an unusual η^3-ligated 1,3-diphosphacyclobutadiene molybdenum complex via cyclodimerization of a phosphaalkyne. Crystal structure of $[Mo(\eta^5\text{-}C_9H_7)(CO)_2\{P\text{-}\eta^3\text{-}(^tBu)CPC(^tBu)PFBF_3\}]$ (P.B. Hitchcock, M.J. Maah, J.F. Nixon and M. Green), 153

Butenes
Isolation and characterization of the acyl complexes *trans*-$[Pt(PPh_3)_2(COR)Cl]$ (R = ^{n}Bu or ^{s}Bu) and their relevance to the hydroformylation of linear butenes catalyzed by platinum/tin/triphenylphosphine catalytic systems. Molecular structure of *cis*-$[Pt(PPh_3)_2Cl(SnCl_3)]$ (G. Cavinato, G. De Munno, M. Lami, M. Marchionna, L. Toniolo and D. Viterbo), 277

Carbene
Characterization of mono(carbene) and bis(carbene) complexes of gold(I) derived from lithiated pyridine (H.G. Raubenheimer, J.G. Toerien, G.J. Kruger, R. Otte, W. Van Zyl and P. Olivier), 291
Carbonyl
Ruthenium carbonyl cluster complexes with nitrogen ligands. III. Reaction of $Ru_3(\mu\text{-}AuPPh_3)(\mu\text{-}Cl)(CO)_{10}$ with pyridine; crystal structures of $Ru_3(\mu\text{-}H)(\mu\text{-}NC_5H_4)(CO)_9(PPh_3)$, $Ru_3(\mu\text{-}Cl)_2(CO)_8(NC_5H_5)(PPh_3)$ and $Ru_3(\mu\text{-}Cl)_2(CO)_8(NC_5H_5)_2$ (M.P. Cifuentes, M.G. Humphrey, B.W. Skelton and A.H. White), 211
The reaction of iron pentacarbonyl with 6-aminofulvenes: some organic chemistry of *R,S* and *R,R/R,S*-$[Fe_2\{\eta,\eta\text{-}C_5H_4CH(NMe_2)CH(NMe_2)C_5H_4\}(CO)_2(\mu\text{-}CO)_2]$ (B. Callan, M.G. Cox, A. McCabe, A.R. Manning, P. Sayal, P. Soye, S.C. Wade, F.S. Stephens, P. McArdle and D. Cunningham), 185
Carbonylation
New aspects of the carbonylation of allylpalladium complexes (R. Bertani, G. Cavinato, G. Facchin, L. Toniolo and A. Vavasori), 273
Catalysis
Regio- and stereoselective synthesis for a novel class of organoaluminium compounds — substituted aluminacyclopentanes and aluminacyclopentenes assisted by zirconium catalysts (U.M. Dzhemilev and A.G. Ibragimov), 1
The reluctant titanium-catalyzed cyclotrimerization of 1-phenyl-2-(trimethylsilyl)acetylene. Crystal structure of 1,3,5-triphenyl-2,4,6-tris(trimethylsilyl)benzene (R. Klein, G. Schmid, U. Thewalt, P. Sedmera, V. Hanuš and K. Mach), 125
Chirality
Preparation and resolution of chiral areneruthenium(II) complexes (P. Pertici, E. Pitzalis, F. Marchetti, C. Rosini, P. Salvadori and M.A. Bennett), 221
The reaction of iron pentacarbonyl with 6-aminofulvenes: some organic chemistry of *R,S* and *R,R/R,S*-$[Fe_2\{\eta,\eta\text{-}C_5H_4CH(NMe_2)CH(NMe_2)C_5H_4\}(CO)_2(\mu\text{-}CO)_2]$ (B. Callan, M.G. Cox, A. McCabe, A.R. Manning, P. Sayal, P. Soye, S.C. Wade, F.S. Stephens, P. McArdle and D. Cunningham), 185
Chlorosilyne
Laser-induced decomposition of 1,1-dichloro-1-silacyclobutane for gas-phase deposition of reactive solid polycarbosilane (M. Jakoubková, R. Fajgar, J. Tláskal and J. Pola), 29
Cobalt
Synthese und Koordinationsverhalten von Di(1-phenyl-ethinyl)-Sulfan (M. Herres, O. Walter, H. Lang, R. Hosch and J. Hahn), 237
Cobalticinium
New anion receptors based on cobalticinium–aza crown ether derivatives (P.D. Beer and A.R. Graydon), 241
Crystal structure
Indium(III) thiolate-bridged molybdenocene complexes: crystal structure of $[InCl_2\{MoCp_2(\mu\text{-}SEt)_2\}_2][BPh_4]\cdot(CH_3)_2CO$ (M.A.A.F. De C.T. Carrondo, A.R. Dias, M. Helena Garcia, P. Matias, M. Fátima M. Piedade and M.J. Villa de Brito), 159
Ruthenium carbonyl cluster complexes with nitrogen ligands. III. Reaction of $Ru_3(\mu\text{-}AuPPh_3)(\mu\text{-}Cl)(CO)_{10}$ with pyridine; crystal structures of $Ru_3(\mu\text{-}H)(\mu\text{-}NC_5H_4)(CO)_9(PPh_3)$, $Ru_3(\mu\text{-}Cl)_2(CO)_8(NC_5H_5)(PPh_3)$ and $Ru_3(\mu\text{-}Cl)_2(CO)_8(NC_5H_5)_2$ (M.P. Cifuentes, M.G. Humphrey, B.W. Skelton and A.H. White), 211
Studies on organolanthanide complexes. XLVII. Syntheses of bis(2-methoxyethylcyclopentadienyl)lanthanide tetrahydroborates (Ln = La, Pr, Nd, Sm or Gd); Crystal structures of bis(2-methoxyethylcyclopentadienyl) praseodymium and neodymium tetrahydroborates (D. Deng, X. Zheng, C. Qian, J. Sun and L. Zhang), 95
Studies on organolanthanide complexes. LIV. Syntheses and X-ray crystal structures of bis-(2-methoxyethylcyclopentadienyl) rare earth iodides $(MeOCH_2CH_2C_5H_4)_2LnI$ (Ln = La or Y) (C. Qian, X. Zheng, B. Wang, D. Deng and J. Sun), 101
Synthesis and characterization of the complexes of trimethylplatinum(IV) iodide with some ditellurides and ditelluroethers: the crystal structure of $[(PtIMe_3)_2(p\text{-}MeOC_6H_4Te)_2]$ (H.B. Singh, A. Regini V, J.P. Jasinski, E.S. Paight and R.J. Butcher), 283
Synthesis and characterization of thiolate derivatives of bis(trimethylsilylcyclopentadienyl)titanium(IV). The crystal and molecular structure of $[(\eta^5\text{-}C_5H_4SiMe_3)_2Ti(SC_6F_5)_2]$ (E. Delgado, E. Hernández, A. Hedayat, J. Tornero and R. Torres), 119
Synthesis and spectroscopic studies (Mössbauer, IR and NMR) of $[R_2SnCl_2bipym]$ (R = butyl or phenyl) and the crystal and molecular structure of $[Ph_2SnCl_2bipym]$ (F. Caruso, M. Giomini, A.M. Giuliani and E. Rivarola), 69
Synthesis and structural characterization of an unusual η^3-ligated 1,3-diphosphacyclobutadiene molybdenum complex via cyclodimerization of a phosphaalkyne. Crystal structure of $[Mo(\eta^5\text{-}C_9H_7)(CO)_2\{P\text{-}\eta^3\text{-}(^tBu)CPC(^tBu)PFBF_3\}]$ (P.B. Hitchcock, M.J. Maah, J.F. Nixon and M. Green), 153
The crystal and molecular structure of tribenzylsilanol by Rietveld refinement of powder X-ray diffraction data (P. Lightfoot, C. Glidewell and P.G. Bruce), 51
The reluctant titanium-catalyzed cyclotrimerization of 1-phenyl-2-(trimethylsilyl)acetylene. Crystal structure of 1,3,5-triphenyl-2,4,6-tris(trimethylsilyl)benzene (R. Klein, G. Schmid, U. Thewalt, P. Sedmera, V. Hanuš and K. Mach), 125
Cyclobutadiene
Synthesis and structural characterization of an unusual η^3-ligated 1,3-diphosphacyclobutadiene molybdenum complex via cyclodimerization of a phosphaalkyne. Crystal structure of $[Mo(\eta^5\text{-}C_9H_7)(CO)_2\{P\text{-}\eta^3\text{-}(^tBu)CPC(^tBu)PFBF_3\}]$ (P.B. Hitchcock, M.J. Maah, J.F. Nixon and M. Green), 153
Cyclohexadienyl
The preparation of bis(η^3-allyl)iron(II) complexes and their reactions with 1,3-dienes (B. Gabor, S. Holle, P.W. Jolly and R. Mynott), 201
Cyclohexane
Intramolekular stabilisierte Galla- und Indacyclohexane, -cyclopentane und -cyclopentene; Röntgenstrukturanalyse von $(CH_2)_5Ga(CH_2)_3NMe_2$, $(CH_2)_5GaCH_2CHCH_3CH_2NMe_2$ und $(C_6F_5)_2In(CH_2)_3NMe_2$ (H. Schumann, O. Just, T.D. Seuß, F.H. Görlitz and R. Weimann), 5
Cyclometallation
Iridium complexes of 2-(2′-thienyl)pyridine (F. Neve, M. Ghedini and A. Crispini), 259
Cyclopentadienyl
Spectroscopic and theoretical evidence for a strong electron-donor effect of the oxo ligand in chlorodicyclopentadienyloxoniobium(V) complexes (A. Perjéssy, P. Ertl, N. Prónayová, B. Gautheron and R. Broussier), 133
Synthesis and characterization of thiolate derivatives of bis(trimethylsilylcyclopentadienyl)titanium(IV). The crystal and molecular structure of $[(\eta^5\text{-}C_5H_4SiMe_3)_2Ti(SC_6F_5)_2]$ (E. Delgado, E. Hernández, A. Hedayat, J. Tornero and R. Torres), 119
Tetramethylphospholyluranium complexes and their pentamethylcyclopentadienyl analogues (P. Gradoz, D. Baudry, M. Ephritikhine, M. Lance, M. Nierlich and J. Vigner), 107

Cyclopentane
Intramolekular stabilisierte Galla- und Indacyclohexane, -cyclopentane und -cyclopentene; Röntgenstrukturanalyse von $(CH_2)_5Ga(CH_2)_3NMe_2$, $(CH_2)_5GaCH_2CHCH_3CH_2NMe_2$ und $(C_6F_5)_2In(CH_2)_3NMe_2$ (H. Schumann, O. Just, T.D. Seuß, F.H. Görlitz and R. Weimann), 5
Regio- and stereoselective synthesis for a novel class of organoaluminium compounds — substituted aluminacyclopentanes and aluminacyclopentenes assisted by zirconium catalysts (U.M. Dzhemilev and A.G. Ibragimov), 1
Cyclopentene
Intramolekular stabilisierte Galla- und Indacyclohexane, -cyclopentane und -cyclopentene; Röntgenstrukturanalyse von $(CH_2)_5Ga(CH_2)_3NMe_2$, $(CH_2)_5GaCH_2CHCH_3CH_2NMe_2$ und $(C_6F_5)_2In(CH_2)_3NMe_2$ (H. Schumann, O. Just, T.D. Seuß, F.H. Görlitz and R. Weimann), 5

Diene
The preparation of bis(η^3-allyl)iron(II) complexes and their reactions with 1,3-dienes (B. Gabor, S. Holle, P.W. Jolly and R. Mynott), 201
Ditelluride
Synthesis and characterization of the complexes of trimethylplatinum(IV) iodide with some ditellurides and ditelluroethers: the crystal structure of $[(PtIMe_3)_2(p\text{-}MeOC_6H_4Te)_2]$ (H.B. Singh, A. Regini V, J.P. Jasinski, E.S. Paight and R.J. Butcher), 283
Ditelluroether
Synthesis and characterization of the complexes of trimethylplatinum(IV) iodide with some ditellurides and ditelluroethers: the crystal structure of $[(PtIMe_3)_2(p\text{-}MeOC_6H_4Te)_2]$ (H.B. Singh, A. Regini V, J.P. Jasinski, E.S. Paight and R.J. Butcher), 283
Dithioformate
Seven-coordinate molybdenum–tin complexes containing phosphorodithioato and phosphoniodithioformate. X-Ray structure of $[Mo(CO)_2\{S_2P(OEt)_2\}(S_2CPCy_3)(SnPhCl_2)]\cdot CH_2Cl_2$ (G. Barrado, D. Miguel, J.A. Pérez-Martínez, V. Riera and S. García-Granda), 147
Dithiophosphate
Seven-coordinate molybdenum–tin complexes containing phosphorodithioato and phosphoniodithioformate. X-Ray structure of $[Mo(CO)_2\{S_2P(OEt)_2\}(S_2CPCy_3)(SnPhCl_2)]\cdot CH_2Cl_2$ (G. Barrado, D. Miguel, J.A. Pérez-Martínez, V. Riera and S. García-Granda), 147

Electrochemistry
New anion receptors based on cobalticinium–aza crown ether derivatives (P.D. Beer and A.R. Graydon), 241
Extended Hückel calculations
Spectroscopic and theoretical evidence for a strong electron-donor effect of the oxo ligand in chlorodicyclopentadienyloxoniobium(V) complexes (A. Perjéssy, P. Ertl, N. Prónayová, B. Gautheron and R. Broussier), 133

Fluoride
Preparation of the iodides $(Me_3Si)_2C(SiMe_2C_6H_4Y)(SiMe_2I)$ and some related compounds (C. Eaborn, K.L. Jones and P.D. Lickiss), 35
Fulvene
The reaction of iron pentacarbonyl with 6-aminofulvenes: some organic chemistry of *R,S* and *R,R/R,S*-$[Fe_2\{\eta,\eta\text{-}C_5H_4CH(NMe_2)CH(NMe_2)C_5H_4\}(CO)_2(\mu\text{-}CO)_2]$ (B. Callan, M.G. Cox, A. McCabe, A.R. Manning, P. Sayal, P. Soye, S.C. Wade, F.S. Stephens, P. McArdle and D. Cunningham), 185

Gadolinium
Studies on organolanthanide complexes. XLVII. Syntheses of bis(2-methoxyethylcyclopentadienyl)lanthanide tetrahydroborates (Ln = La, Pr, Nd, Sm or Gd); Crystal structures of bis(2-methoxyethylcyclopentadienyl) praseodymium and neodymium tetrahydroborates (D. Deng, X. Zheng, C. Qian, J. Sun and L. Zhang), 95
Gallium
Intramolekular stabilisierte Galla- und Indacyclohexane, -cyclopentane und -cyclopentene; Röntgenstrukturanalyse von $(CH_2)_5Ga(CH_2)_3NMe_2$, $(CH_2)_5GaCH_2CHCH_3CH_2NMe_2$ und $(C_6F_5)_2In(CH_2)_3NMe_2$ (H. Schumann, O. Just, T.D. Seuß, F.H. Görlitz and R. Weimann), 5
Germanium
The synthesis and reactions with neutral monodentate ligands of the seven-coordinate complex $[MoCl(GeCl_3)(CO)_3(NCMe)_2]$ (P.K. Baker and D. Ap Kendrick), 139
Gold
Characterization of mono(carbene) and bis(carbene) complexes of gold(I) derived from lithiated pyridine (H.G. Raubenheimer, J.G. Toerien, G.J. Kruger, R. Otte, W. Van Zyl and P. Olivier), 291

Heteroannulation
Selective hetero- and carbo-cycle syntheses via masked cyclopalladated secondary amine and ketone functions (F. Maassarani, M. Pfeffer, J. Spencer and E. Wehman), 265
Hydride
Preparation of the iodides $(Me_3Si)_2C(SiMe_2C_6H_4Y)(SiMe_2I)$ and some related compounds (C. Eaborn, K.L. Jones and P.D. Lickiss), 35
Reactions of $[IrH_2(Me_2CO)(Hpz)(PPh_3)_2]BF_4$ with alkynes: synthesis of new hydride–vinyl iridium(III) complexes (M.A. Esteruelas, M.P. García, M. Martín, O. Nürnberg, L.A. Oro and H. Werner), 249
Hydroformylation
Isolation and characterization of the acyl complexes *trans*-$[Pt(PPh_3)_2(COR)Cl]$ (R = ^{n}Bu or ^{s}Bu) and their relevance to the hydroformylation of linear butenes catalyzed by platinum/tin/triphenylphosphine catalytic systems. Molecular structure of *cis*-$[Pt(PPh_3)_2Cl(SnCl_3)]$ (G. Cavinato, G. De Munno, M. Lami, M. Marchionna, L. Toniolo and D. Viterbo), 277
Hydrogen bonding
The crystal and molecular structure of tribenzylsilanol by Rietveld refinement of powder X-ray diffraction data (P. Lightfoot, C. Glidewell and P.G. Bruce), 51

Indenol
Selective hetero- and carbo-cycle syntheses via masked cyclopalladated secondary amine and ketone functions (F. Maassarani, M. Pfeffer, J. Spencer and E. Wehman), 265
Indenyl
Formation of nitriles by a novel metathesis reaction of ruthenium σ-acetylide complexes, (η^5-indenyl)Ru(η^1-C≡CR)(phosphine)$_2$, with nitric oxide (T. Tanase, H. Mochizuki, R. Sato and Y. Yamamoto), 233
Indium
Indium(III) thiolate-bridged molybdenocene complexes: crystal structure of $[InCl_2\{MoCp_2(\mu\text{-}SEt)_2\}_2][BPh_4]\cdot(CH_3)_2CO$ (M.A.A.F. De C.T. Carrondo, A.R. Dias, M. Helena Garcia, P. Matias, M. Fátima M. Piedade and M.J. Villa de Brito), 159
Intramolekular stabilisierte Galla- und Indacyclohexane, -cyclopentane und -cyclopentene; Röntgenstrukturanalyse von

$(CH_2)_5Ga(CH_2)_3NMe_2$, $(CH_2)_5GaCH_2CHCH_3CH_2NMe_2$ und $(C_6F_5)_2In(CH_2)_3NMe_2$ (H. Schumann, O. Just, T.D. Seuß, F.H. Görlitz and R. Weimann), 5

Indole

Selective hetero- and carbo-cycle syntheses via masked cyclopalladated secondary amine and ketone functions (F. Maassarani, M. Pfeffer, J. Spencer and E. Wehman), 265

Infrared spectroscopy

Spectroscopic and theoretical evidence for a strong electron-donor effect of the oxo ligand in chlorodicyclopentadienyloxoniobium(V) complexes (A. Perjéssy, P. Ertl, N. Prónayová, B. Gautheron and R. Broussier), 133

Iodide

Preparation of the iodides $(Me_3Si)_2C(SiMe_2C_6H_4Y)(SiMe_2I)$ and some related compounds (C. Eaborn, K.L. Jones and P.D. Lickiss), 35

Studies on organolanthanide complexes. LIV. Syntheses and X-ray crystal structures of bis-(2-methoxyethylcyclopentadienyl) rare earth iodides $(MeOCH_2CH_2C_5H_4)_2LnI$ (Ln = La or Y) (C. Qian, X. Zheng, B. Wang, D. Deng and J. Sun), 101

Synthesis and characterization of the complexes of trimethylplatinum(IV) iodide with some ditellurides and ditelluroethers: the crystal structure of $[(PtIMe_3)_2(p\text{-}MeOC_6H_4Te)_2]$ (H.B. Singh, A. Regini V, J.P. Jasinski, E.S. Paight and R.J. Butcher), 283

Iridium

Iridium complexes of 2-(2′-thienyl)pyridine (F. Neve, M. Ghedini and A. Crispini), 259

Reactions of $[IrH_2(Me_2CO)(Hpz)(PPh_3)_2]BF_4$ with alkynes: synthesis of new hydride–vinyl iridium(III) complexes (M.A. Esteruelas, M.P. García, M. Martín, O. Nürnberg, L.A. Oro and H. Werner), 249

Iron

Synthesis and reactivity of bis(alkyloxalyl) and alkoxycarbonyl alkyloxalyl iron complexes $[Fe(COCO_2R)_2(CO)_4]$ and $[Fe(CO_2R)(COCO_2R')(CO)_4]$ (R, R′ = Me or Et): evidence for reductive elimination of oxalate (P. Laurent, J.-Y. Salaün, G. Le Gall, M. Sellin and H. Des Abbayes), 175

The preparation of bis(η^3-allyl)iron(II) complexes and their reactions with 1,3-dienes (B. Gabor, S. Holle, P.W. Jolly and R. Mynott), 201

The reaction of iron pentacarbonyl with 6-aminofulvenes: some organic chemistry of *R,S* and *R,R/R,S*-$[Fe_2\{\eta,\eta\text{-}C_5H_4CH(NMe_2)CH(NMe_2)C_5H_4\}(CO)_2(\mu\text{-}CO)_2]$ (B. Callan, M.G. Cox, A. McCabe, A.R. Manning, P. Sayal, P. Soye, S.C. Wade, F.S. Stephens, P. McArdle and D. Cunningham), 185

Lanthanum

Studies on organolanthanide complexes. XLVII. Syntheses of bis(2-methoxyethylcyclopentadienyl)lanthanide tetrahydroborates (Ln = La, Pr, Nd, Sm or Gd); Crystal structures of bis(2-methoxyethylcyclopentadienyl) praseodymium and neodymium tetrahydroborates (D. Deng, X. Zheng, C. Qian, J. Sun and L. Zhang), 95

Studies on organolanthanide complexes. LIV. Syntheses and X-ray crystal structures of bis-(2-methoxyethylcyclopentadienyl) rare earth iodides $(MeOCH_2CH_2C_5H_4)_2LnI$ (Ln = La or Y) (C. Qian, X. Zheng, B. Wang, D. Deng and J. Sun), 101

Laser-induced deposition

Laser-induced decomposition of 1,1-dichloro-1-silacyclobutane for gas-phase deposition of reactive solid polycarbosilane (M. Jakoubková, R. Fajgar, J. Tláskal and J. Pola), 29

Lithium

$[(CH_3C)_4N\text{–}(CH_3)_2Al\cdots Cl\cdots Al(CH_3)_2\text{–}N(CCH_3)_4]Li$ – ein ungewöhnlicher Sandwich-Komplex des Lithiums (H.-D. Hausen, J. Tödtmann and J. Weidlein), C1

Metallation

Side-chain metallation of diethyl phosphonotoluenes (A. Boumekouez, E. About-Jaudet and N. Collignon), 89

Metallocenes

Indium(III) thiolate-bridged molybdenocene complexes: crystal structure of $[InCl_2\{MoCp_2(\mu\text{-}SEt)_2\}_2][BPh_4]\cdot(CH_3)_2CO$ (M.A.A.F. De C.T. Carrondo, A.R. Dias, M. Helena Garcia, P. Matias, M. Fátima M. Piedade and M.J. Villa de Brito), 159

Metathesis

Formation of nitriles by a novel metathesis reaction of ruthenium σ-acetylide complexes, $(\eta^5\text{-indenyl})Ru(\eta^1\text{-}C{\equiv}CR)(phosphine)_2$, with nitric oxide (T. Tanase, H. Mochizuki, R. Sato and Y. Yamamoto), 233

Molybdenum

Indium(III) thiolate-bridged molybdenocene complexes: crystal structure of $[InCl_2\{MoCp_2(\mu\text{-}SEt)_2\}_2][BPh_4]\cdot(CH_3)_2CO$ (M.A.A.F. De C.T. Carrondo, A.R. Dias, M. Helena Garcia, P. Matias, M. Fátima M. Piedade and M.J. Villa de Brito), 159

Seven-coordinate molybdenum–tin complexes containing phosphorodithioato and phosphoniodithioformate. X-Ray structure of $[Mo(CO)_2\{S_2P(OEt)_2\}(S_2CPCy_3)(SnPhCl_2)]\cdot CH_2Cl_2$ (G. Barrado, D. Miguel, J.A. Pérez-Martínez, V. Riera and S. García-Granda), 147

Synthesis and structural characterization of an unusual η^3-ligated 1,3-diphosphacyclobutadiene molybdenum complex via cyclodimerization of a phosphaalkyne. Crystal structure of $[Mo(\eta^5\text{-}C_9H_7)(CO)_2\{P\text{-}\eta^3\text{-}(^tBu)CPC(^tBu)PFBF_3\}]$ (P.B. Hitchcock, M.J. Maah, J.F. Nixon and M. Green), 153

The synthesis and reactions with neutral monodentate ligands of the seven-coordinate complex $[MoCl(GeCl_3)(CO)_3(NCMe)_2]$ (P.K. Baker and D. Ap Kendrick), 139

Monodentate

The synthesis and reactions with neutral monodentate ligands of the seven-coordinate complex $[MoCl(GeCl_3)(CO)_3(NCMe)_2]$ (P.K. Baker and D. Ap Kendrick), 139

Mössbauer spectroscopy

Synthesis and spectroscopic studies (Mössbauer, IR and NMR) of $[R_2SnCl_2bipym]$ (R = butyl or phenyl) and the crystal and molecular structure of $[Ph_2SnCl_2bipym]$ (F. Caruso, M. Giomini, A.M. Giuliani and E. Rivarola), 69

Muscarinic antagonist

Sila-biperiden und *endo*-Sila-biperiden: Synthesen, Kristallstrukturen und antimuscarinische Eigenschaften (R. Tacke, J. Pikies, F. Wiesenberger, L. Ernst, D. Schomburg, M. Waelbroeck, J. Christophe, G. Lambrecht, J. Gross and E. Mutschler), 15

Muscarinic receptor subtype

Sila-biperiden und *endo*-Sila-biperiden: Synthesen, Kristallstrukturen und antimuscarinische Eigenschaften (R. Tacke, J. Pikies, F. Wiesenberger, L. Ernst, D. Schomburg, M. Waelbroeck, J. Christophe, G. Lambrecht, J. Gross and E. Mutschler), 15

Neodymium

Studies on organolanthanide complexes. XLVII. Syntheses of bis(2-methoxyethylcyclopentadienyl)lanthanide tetrahydroborates (Ln = La, Pr, Nd, Sm or Gd); Crystal structures of bis(2-methoxyethylcyclopentadienyl) praseodymium and neodymium tetrahydroborates (D. Deng, X. Zheng, C. Qian, J. Sun and L. Zhang), 95

Niobium
Spectroscopic and theoretical evidence for a strong electron-donor effect of the oxo ligand in chlorodicyclopentadienyloxoniobium(V) complexes (A. Perjéssy, P. Ertl, N. Prónayová, B. Gautheron and R. Broussier), 133
Nitrosyl
Formation of nitriles by a novel metathesis reaction of ruthenium σ-acetylide complexes, (η^5-indenyl)Ru(η^1-C≡CR)(phosphine)$_2$, with nitric oxide (T. Tanase, H. Mochizuki, R. Sato and Y. Yamamoto), 233
Nuclear magnetic resonance
Spectroscopic and theoretical evidence for a strong electron-donor effect of the oxo ligand in chlorodicyclopentadienyloxoniobium(V) complexes (A. Perjéssy, P. Ertl, N. Prónayová, B. Gautheron and R. Broussier), 133
Synthesis and spectroscopic studies (Mössbauer, IR and NMR) of [R_2SnCl_2bipym] (R = butyl or phenyl) and the crystal and molecular structure of [Ph_2SnCl_2bipym] (F. Caruso, M. Giomini, A.M. Giuliani and E. Rivarola), 69

Oxidative decarbonylation
Use of ozone as an oxygen atom transfer agent in the synthesis of pentamethylcyclopentadienyl rhenium trioxide (K.P. Gable and T.N. Phan), C5
Oxide
Spectroscopic and theoretical evidence for a strong electron-donor effect of the oxo ligand in chlorodicyclopentadienyloxoniobium(V) complexes (A. Perjéssy, P. Ertl, N. Prónayová, B. Gautheron and R. Broussier), 133
Use of ozone as an oxygen atom transfer agent in the synthesis of pentamethylcyclopentadienyl rhenium trioxide (K.P. Gable and T.N. Phan), C5
Ozon
Use of ozone as an oxygen atom transfer agent in the synthesis of pentamethylcyclopentadienyl rhenium trioxide (K.P. Gable and T.N. Phan), C5

Palladium
New aspects of the carbonylation of allylpalladium complexes (R. Bertani, G. Cavinato, G. Facchin, L. Toniolo and A. Vavasori), 273
Selective hetero- and carbo-cycle syntheses via masked cyclopalladated secondary amine and ketone functions (F. Maassarani, M. Pfeffer, J. Spencer and E. Wehman), 265
Phenyl
The reluctant titanium-catalyzed cyclotrimerization of 1-phenyl-2-(trimethylsilyl)acetylene. Crystal structure of 1,3,5-triphenyl-2,4,6-tris(trimethylsilyl)benzene (R. Klein, G. Schmid, U. Thewalt, P. Sedmera, V. Hanuš and K. Mach), 125
Phosphaalkyne
Synthesis and structural characterization of an unusual η^3-ligated 1,3-diphosphacyclobutadiene molybdenum complex via cyclodimerization of a phosphaalkyne. Crystal structure of [Mo(η^5-C_9H_7)(CO)$_2${P-η^3-(^{t}Bu)CPC(^{t}Bu)PFBF$_3$}] (P.B. Hitchcock, M.J. Maah, J.F. Nixon and M. Green), 153
Phospholyl
Tetramethylphospholyluranium complexes and their pentamethylcyclopentadienyl analogues (P. Gradoz, D. Baudry, M. Ephritikhine, M. Lance, M. Nierlich and J. Vigner), 107
Phosphorus
Metallorganische Lewis-Säuren. LI. Reaktivität der metallorganischen Lewis-Säuren (OC)$_4$Re(OEt$_2$)FBF$_3$ und (OC)$_2$(PPh$_3$)$_2$-Ru(FBF$_3$)$_2$ (E. Lippmann, R. Krämer and W. Beck), 167
Side-chain metallation of diethyl phosphonotoluenes (A. Boumekouez, E. About-Jaudet and N. Collignon), 89
Phosphoryl
2,2-Functionally disubstituted organotin compounds: synthesis and reactivity (F. Richter and H. Weichmann), 77
Photochemistry
Chemical and photochemical approaches to amino(aryl)silylenes (R. Corriu, G. Lanneau, C. Priou, F. Soulairol, N. Auner, R. Probst, R. Conlin and C. Tan), 55
Platinum
Isolation and characterization of the acyl complexes *trans*-[Pt(PPh$_3$)$_2$(COR)Cl] (R = ^{n}Bu or ^{s}Bu) and their relevance to the hydroformylation of linear butenes catalyzed by platinum/tin/triphenylphosphine catalytic systems. Molecular structure of *cis*-[Pt(PPh$_3$)$_2$Cl(SnCl$_3$)] (G. Cavinato, G. De Munno, M. Lami, M. Marchionna, L. Toniolo and D. Viterbo), 277
Synthesis and characterization of the complexes of trimethylplatinum(IV) iodide with some ditellurides and ditelluroethers: the crystal structure of [(PtIMe$_3$)$_2$(*p*-MeOC$_6$H$_4$Te)$_2$] (H.B. Singh, A. Regini V, J.P. Jasinski, E.S. Paight and R.J. Butcher), 283
Polycarbosilane
Laser-induced decomposition of 1,1-dichloro-1-silacyclobutane for gas-phase deposition of reactive solid polycarbosilane (M. Jakoubková, R. Fajgar, J. Tláskal and J. Pola), 29
Polymer
Siloxane bond formation by heterofunctional condensation of alkoxysilane and halogenosilane. Application to the preparation of copoly(tetramethyl-*p*-silphenylenesiloxane-dimethylsiloxane) (R.J.P. Corriu, D. Leclercq, P.H. Mutin, H. Samson and A. Vioux), 43
Praseodymium
Studies on organolanthanide complexes. XLVII. Syntheses of bis(2-methoxyethylcyclopentadienyl)lanthanide tetrahydroborates (Ln = La, Pr, Nd, Sm or Gd); Crystal structures of bis(2-methoxyethylcyclopentadienyl) praseodymium and neodymium tetrahydroborates (D. Deng, X. Zheng, C. Qian, J. Sun and L. Zhang), 95
Pyridine
Characterization of mono(carbene) and bis(carbene) complexes of gold(I) derived from lithiated pyridine (H.G. Raubenheimer, J.G. Toerien, G.J. Kruger, R. Otte, W. Van Zyl and P. Olivier), 291
Iridium complexes of 2-(2′-thienyl)pyridine (F. Neve, M. Ghedini and A. Crispini), 259
Ruthenium carbonyl cluster complexes with nitrogen ligands. III. Reaction of Ru$_3$(μ-AuPPh$_3$)(μ-Cl)(CO)$_{10}$ with pyridine; crystal structures of Ru$_3$(μ-H)(μ-NC$_5$H$_4$)(CO)$_9$(PPh$_3$), Ru$_3$(μ-Cl)$_2$(CO)$_8$(NC$_5$H$_5$)(PPh$_3$) and Ru$_3$(μ-Cl)$_2$(CO)$_8$(NC$_5$H$_5$)$_2$ (M.P. Cifuentes, M.G. Humphrey, B.W. Skelton and A.H. White), 211
Pyrrolide
[(CH$_3$C)$_4$N–(CH$_3$)$_2$Al ··· Cl ··· Al(CH$_3$)$_2$ –N(CCH$_3$)$_4$]Li – ein ungewöhnlicher Sandwich-Komplex des Lithiums (H.-D. Hausen, J. Tödtmann and J. Weidlein), C1

Rhenium
Metallorganische Lewis-Säuren. LI. Reaktivität der metallorganischen Lewis-Säuren (OC)$_4$Re(OEt$_2$)FBF$_3$ und (OC)$_2$(PPh$_3$)$_2$-Ru(FBF$_3$)$_2$ (E. Lippmann, R. Krämer and W. Beck), 167
Use of ozone as an oxygen atom transfer agent in the synthesis of pentamethylcyclopentadienyl rhenium trioxide (K.P. Gable and T.N. Phan), C5
Rietveld refinement
The crystal and molecular structure of tribenzylsilanol by

Rietveld refinement of powder X-ray diffraction data (P. Lightfoot, C. Glidewell and P.G. Bruce), 51

Ruthenium

Formation of nitriles by a novel metathesis reaction of ruthenium σ-acetylide complexes, (η^5-indenyl)Ru(η^1-C≡CR)(phosphine)$_2$, with nitric oxide (T. Tanase, H. Mochizuki, R. Sato and Y. Yamamoto), 233

Metallorganische Lewis-Säuren. LI. Reaktivität der metallorganischen Lewis-Säuren $(OC)_4Re(OEt_2)FBF_3$ und $(OC)_2(PPh_3)_2Ru(FBF_3)_2$ (E. Lippmann, R. Krämer and W. Beck), 167

Preparation and resolution of chiral areneruthenium(II) complexes (P. Pertici, E. Pitzalis, F. Marchetti, C. Rosini, P. Salvadori and M.A. Bennett), 221

Ruthenium carbonyl cluster complexes with nitrogen ligands. III. Reaction of $Ru_3(\mu\text{-}AuPPh_3)(\mu\text{-}Cl)(CO)_{10}$ with pyridine; crystal structures of $Ru_3(\mu\text{-}H)(\mu\text{-}NC_5H_4)(CO)_9(PPh_3)$, $Ru_3(\mu\text{-}Cl)_2(CO)_8(NC_5H_5)(PPh_3)$ and $Ru_3(\mu\text{-}Cl)_2(CO)_8(NC_5H_5)_2$ (M.P. Cifuentes, M.G. Humphrey, B.W. Skelton and A.H. White), 211

Samarium

Studies on organolanthanide complexes. XLVII. Syntheses of bis(2-methoxyethylcyclopentadienyl)lanthanide tetrahydroborates (Ln = La, Pr, Nd, Sm or Gd); Crystal structures of bis(2-methoxyethylcyclopentadienyl) praseodymium and neodymium tetrahydroborates (D. Deng, X. Zheng, C. Qian, J. Sun and L. Zhang), 95

Sandwich complex

$[(CH_3C)_4N\text{–}(CH_3)_2Al\cdots Cl\cdots Al(CH_3)_2\text{–}N(CCH_3)_4]Li$ – ein ungewöhnlicher Sandwich-Komplex des Lithiums (H.-D. Hausen, J. Tödtmann and J. Weidlein), C1

Sila-biperiden

Sila-biperiden und *endo*-Sila-biperiden: Synthesen, Kristallstrukturen und antimuscarinische Eigenschaften (R. Tacke, J. Pikies, F. Wiesenberger, L. Ernst, D. Schomburg, M. Waelbroeck, J. Christophe, G. Lambrecht, J. Gross and E. Mutschler), 15

Silane

Laser-induced decomposition of 1,1-dichloro-1-silacyclobutane for gas-phase deposition of reactive solid polycarbosilane (M. Jakoubková, R. Fajgar, J. Tláskal and J. Pola), 29

Silanol

Sila-biperiden und *endo*-Sila-biperiden: Synthesen, Kristallstrukturen und antimuscarinische Eigenschaften (R. Tacke, J. Pikies, F. Wiesenberger, L. Ernst, D. Schomburg, M. Waelbroeck, J. Christophe, G. Lambrecht, J. Gross and E. Mutschler), 15

Sila-ylide

Chemical and photochemical approaches to amino(aryl)silylenes (R. Corriu, G. Lanneau, C. Priou, F. Soulairol, N. Auner, R. Probst, R. Conlin and C. Tan), 55

Silicon

Preparation of the iodides $(Me_3Si)_2C(SiMe_2C_6H_4Y)(SiMe_2I)$ and some related compounds (C. Eaborn, K.L. Jones and P.D. Lickiss), 35

Sila-biperiden und *endo*-Sila-biperiden: Synthesen, Kristallstrukturen und antimuscarinische Eigenschaften (R. Tacke, J. Pikies, F. Wiesenberger, L. Ernst, D. Schomburg, M. Waelbroeck, J. Christophe, G. Lambrecht, J. Gross and E. Mutschler), 15

Siloxane

Siloxane bond formation by heterofunctional condensation of alkoxysilane and halogenosilane. Application to the preparation of copoly(tetramethyl-*p*-silphenylenesiloxane-dimethylsiloxane) (R.J.P. Corriu, D. Leclercq, P.H. Mutin, H. Samson and A. Vioux), 43

Silylene

Chemical and photochemical approaches to amino(aryl)silylenes (R. Corriu, G. Lanneau, C. Priou, F. Soulairol, N. Auner, R. Probst, R. Conlin and C. Tan), 55

Stability constants

New anion receptors based on cobalticinium–aza crown ether derivatives (P.D. Beer and A.R. Graydon), 241

Stabilization

Chemical and photochemical approaches to amino(aryl)silylenes (R. Corriu, G. Lanneau, C. Priou, F. Soulairol, N. Auner, R. Probst, R. Conlin and C. Tan), 55

Sulfur

Synthese und Koordinationsverhalten von Di(1-phenyl-ethinyl)-Sulfan (M. Herres, O. Walter, H. Lang, R. Hosch and J. Hahn), 237

Tetrafluoroborate

Metallorganische Lewis-Säuren. LI. Reaktivität der metallorganischen Lewis-Säuren $(OC)_4Re(OEt_2)FBF_3$ und $(OC)_2(PPh_3)_2Ru(FBF_3)_2$ (E. Lippmann, R. Krämer and W. Beck), 167

Thienyl

Iridium complexes of 2-(2′-thienyl)pyridine (F. Neve, M. Ghedini and A. Crispini), 259

Thiolate

Indium(III) thiolate-bridged molybdenocene complexes: crystal structure of $[InCl_2\{MoCp_2(\mu\text{-}SEt)_2\}_2][BPh_4]\cdot(CH_3)_2CO$ (M.A.A.F. De C.T. Carrondo, A.R. Dias, M. Helena Garcia, P. Matias, M. Fátima M. Piedade and M.J. Villa de Brito), 159

Synthesis and characterization of thiolate derivatives of bis(trimethylsilylcyclopentadienyl)titanium(IV). The crystal and molecular structure of $[(\eta^5\text{-}C_5H_4SiMe_3)_2Ti(SC_6F_5)_2]$ (E. Delgado, E. Hernández, A. Hedayat, J. Tornero and R. Torres), 119

Tin

2,2-Functionally disubstituted organotin compounds: synthesis and reactivity (F. Richter and H. Weichmann), 77

Isolation and characterization of the acyl complexes *trans*-$[Pt(PPh_3)_2(COR)Cl]$ (R = ^{n}Bu or ^{s}Bu) and their relevance to the hydroformylation of linear butenes catalyzed by platinum/tin/triphenylphosphine catalytic systems. Molecular structure of *cis*-$[Pt(PPh_3)_2Cl(SnCl_3)]$ (G. Cavinato, G. De Munno, M. Lami, M. Marchionna, L. Toniolo and D. Viterbo), 277

Seven-coordinate molybdenum–tin complexes containing phosphorodithioato and phosphoniodithioformate. X-Ray structure of $[Mo(CO)_2\{S_2P(OEt)_2\}(S_2CPCy_3)(SnPhCl_2)]\cdot CH_2Cl_2$ (G. Barrado, D. Miguel, J.A. Pérez-Martínez, V. Riera and S. García-Granda), 147

Synthesis and spectroscopic studies (Mössbauer, IR and NMR) of $[R_2SnCl_2bipym]$ (R = butyl or phenyl) and the crystal and molecular structure of $[Ph_2SnCl_2bipym]$ (F. Caruso, M. Giomini, A.M. Giuliani and E. Rivarola), 69

Titanium

Synthesis and characterization of thiolate derivatives of bis(trimethylsilylcyclopentadienyl)titanium(IV). The crystal and molecular structure of $[(\eta^5\text{-}C_5H_4SiMe_3)_2Ti(SC_6F_5)_2]$ (E. Delgado, E. Hernández, A. Hedayat, J. Tornero and R. Torres), 119

The reluctant titanium-catalyzed cyclotrimerization of 1-phenyl-2-(trimethylsilyl)acetylene. Crystal structure of 1,3,5-triphenyl-2,4,6-tris(trimethylsilyl)benzene (R. Klein, G. Schmid, U. Thewalt, P. Sedmera, V. Hanuš and K. Mach), 125

Toluene
Side-chain metallation of diethyl phosphonotoluenes (A. Boumekouez, E. About-Jaudet and N. Collignon), 89
Tribenzylsilanol
The crystal and molecular structure of tribenzylsilanol by Rietveld refinement of powder X-ray diffraction data (P. Lightfoot, C. Glidewell and P.G. Bruce), 51
Trimethylsilyl
Preparation of the iodides $(Me_3Si)_2C(SiMe_2C_6H_4Y)(SiMe_2I)$ and some related compounds (C. Eaborn, K.L. Jones and P.D. Lickiss), 35
The reluctant titanium-catalyzed cyclotrimerization of 1-phenyl-2-(trimethylsilyl)acetylene. Crystal structure of 1,3,5-triphenyl-2,4,6-tris(trimethylsilyl)benzene (R. Klein, G. Schmid, U. Thewalt, P. Sedmera, V. Hanuš and K. Mach), 125

Uranium
Tetramethylphospholyluranium complexes and their pentamethylcyclopentadienyl analogues (P. Gradoz, D. Baudry, M. Ephritikhine, M. Lance, M. Nierlich and J. Vigner), 107

Vinyl
Reactions of $[IrH_2(Me_2CO)(Hpz)(PPh_3)_2]BF_4$ with alkynes: synthesis of new hydride–vinyl iridium(III) complexes (M.A. Esteruelas, M.P. García, M. Martín, O. Nürnberg, L.A. Oro and H. Werner), 249

X-ray diffraction
$[(CH_3C)_4N–(CH_3)_2Al\cdots Cl\cdots Al(CH_3)_2–N(CCH_3)_4]Li$ – ein ungewöhnlicher Sandwich-Komplex des Lithiums (H.-D. Hausen, J. Tödtmann and J. Weidlein), C1

X-ray powder diffraction
The crystal and molecular structure of tribenzylsilanol by Rietveld refinement of powder X-ray diffraction data (P. Lightfoot, C. Glidewell and P.G. Bruce), 51

Yttrium
Studies on organolanthanide complexes. LIV. Syntheses and X-ray crystal structures of bis-(2-methoxyethylcyclopentadienyl) rare earth iodides $(MeOCH_2CH_2C_5H_4)_2LnI$ (Ln = La or Y) (C. Qian, X. Zheng, B. Wang, D. Deng and J. Sun), 101

Zirconium
Intramolekular stabilisierte Galla- und Indacyclohexane, -cyclopentane und -cyclopentene; Röntgenstrukturanalyse von $(CH_2)_5Ga(CH_2)_3NMe_2$, $(CH_2)_5GaCH_2CHCH_3CH_2NMe_2$ und $(C_6F_5)_2In(CH_2)_3NMe_2$ (H. Schumann, O. Just, T.D. Seuß, F.H. Görlitz and R. Weimann), 5
Regio- and stereoselective synthesis for a novel class of organoaluminium compounds — substituted aluminacyclopentanes and aluminacyclopentenes assisted by zirconium catalysts (U.M. Dzhemilev and A.G. Ibragimov), 1

Book Reviews
Metal Nitrosyls, G.B. Richter-Addo and P. Legzdins (G.J. Leigh), C8
Photoprocesses in Transition Metal Complexes, Biosystems and Other Molecules. Experiment and Theory, E. Kochanski (Ed.) (R.N. Perutz), C7